HFA-305 Div. Dockets Mgt.

Approval Date: JAN - 9 2004

FREEDOM OF INFORMATION SUMMARY

SUPPLEMENTAL ABBREVIATED NEW ANIMAL DRUG APPLICATION

ANADA 200-346

Trenbolone Acetate and Estradiol, and Tylosin Tartrate (COMPONENT TE-200 WITH TYLAN)

For increased rate of weight gain and improved feed efficiency for steers fed in confinement for slaughter.

Supplemental approval to provide for the addition of a tylosin tartrate pellet as a local antibacterial to COMPONENT TE-200

Sponsored by:

Ivy Laboratories Div. of Ivy Animal Health, Inc. 8857 Bond Street Overland Park, KS 66214

FOIS 1

ANADA 200-346

FREEDOM OF INFORMATION SUMMARY

COMPONENT TE-200 with TYLAN Ear Implant for Steers Fed in Confinement for Slaughter

1. GENERAL INFORMATION:

a. File Number: ANADA 200-346

b. Sponsor: Ivy Laboratories

Div. of Ivy Animal Health, Inc.

8857 Bond Street

Overland Park, KS 66214 Drug Labeler Code: 021641

c. Established Names: Trenbolone acetate and estradiol, and tylosin tartrate

d. Propriety Names: COMPONENT TE-200 with TYLAN

e. Dosage Form: Implantation (ear implant) as per 21 CFR 522.2477.

f. How Supplied: Each box contains 5 foil pouches each containing 1

cartridge belt with 20 cells. Each cartridge cell contains 1 implant dose. Each implant dose consists of 11 pellets with 10 pellets each containing 20 mg trenbolone acetate and 2 mg estradiol and 1 pellet

containing 29 mg tylosin tartrate

g. How Dispensed: OTC

h. Amount of Active Ingredients: Trenbolone acetate: 200 mg trenbolone acetate.

Estradiol: 20 mg estradiol.

Tylosin tartrate: 29 mg tylosin tartrate.

i. Route of Administration: Subcutaneous ear implant

j. Species/Class: Steers fed in confinement for slaughter

k. Recommended Dosage: One implant containing 200 mg trenbolone acetate,

20 mg estradiol, and 29 mg tylosin tartrate per

animal.

1. Pharmacological Category: Steroid hormone and antibacterial

Freedom of Information Summary ANADA 200-346, Trenbolone Acetate and Estradiol, and Tylosin Tartrate Page 2

m. Indications: For increased rate of weight gain and improved feed

efficiency for steers fed in confinement for

slaughter.

n. Effect of Supplement: This supplement provides for the addition of a

tylosin tartrate pellet as a local antibacterial to

COMPONENT TE-200.

2. DRUG EFFECTIVENESS:

The effectiveness requirement for this supplemental new animal drug application, with the indication for use and dosage as given in Section 1 above, is met by utilizing the information contained in the Freedom of Information (FOI) Summary for the abbreviated new animal drug application for COMPONENT TE-H (ANADA 200-346) which was approved September 27, 2002, and contains adequate data from a well-controlled study included in this supplemental application.

a. Substantial Evidence:

Title of Study: Tylosin Tartrate Pellet Efficacy/Induction

Study Number: Ivy A1076

A study was conducted by William Barton, CAVL, Inc, Amarillo, TX to evaluate the effectiveness of COMPONENT TE-H with TYLAN (140 mg trenbolone acetate and 14 mg estradiol (7 pellets), and 29 mg tylosin tartrate (1 pellet)) to lower the incidence of ear abscess formation. An implant site abscess induction model was developed to reliably create a high abscess rate in test animals. This model was used to test the ability of a tylosin tartrate pellet to reduce implant site abscess incidence in animals expected to develop an ear abscess. In the study, 40 beef heifers were subjected to the abscess-inducing culture at the same time they were implanted with either COMPONENT TE-H with a TYLAN pellet or COMPONENT TE-H alone. Implant sites were observed at regular intervals up to 35 days following implantation. Abscess rate at each time point was significantly lower (P<0.0001) in animals treated with COMPONENT TE-H with a TYLAN pellet compared to animals treated with COMPONENT TE-H alone, with the maximum incidence of abscesses of 5% and 100%, respectively.

3. TARGET ANIMAL SAFETY:

Target animal safety of COMPONENT TE-200 is established by data in the FOI Summary for the parent application (ANADA 200-346) approved September 27, 2002. The data provided in the effectiveness study described above were sufficient to conclude that the use of the tylosin tartrate pellet was safe for use in cattle. No further studies were required.

Freedom of Information Summary ANADA 200-346, Trenbolone Acetate and Estradiol, and Tylosin Tartrate Page 3

4. HUMAN SAFETY:

Human safety is established for COMPONENT TE-200 by data in the FOI Summary in the parent application (ANADA 200-346) which was approved September 27, 2002. No further residue studies were required for use of the tylosin tartrate pellet.

A. Microbial Food Safety

The Agency evaluated the microbial food safety for COMPONENT TE-200 ear implants containing 200 mg trenbolone acetate, 20 mg estradiol, and 29 mg of tylosin. The sponsor submitted a microbial food safety "hazard identification" for review. This "hazard identification" information addressed drug-specific characteristics, information on bacterial resistance, and data gaps and emerging science relative to antimicrobial resistance and the use of tylosin in cattle. Upon review of this information, the Agency concluded that use of this product in cattle does not contribute significantly to the emergence or selection of macrolide resistant bacteria of public health concern.

5. AGENCY CONCLUSIONS:

This supplemental ANADA submitted under section 512(b) of the Federal Food, Drug, and Cosmetic Act satisfies the requirements of section 512(n) of the act and demonstrates that COMPONENT TE-200 with TYLAN (trenbolone acetate and estradiol, and tylosin tartrate), when used under its proposed conditions of use, is safe and effective for its labeled indications.

The Center for Veterinary Medicine has concluded that, for this product, adequate directions for use by the layperson have been provided and the product will have over-the-counter (OTC) status. Label directions are accompanied by pictorial diagrams and detailed instruction in plain language. The drug is not a controlled substance. Thus, the product is assigned OTC status, and the labeling is adequate for the intended use.

Freedom of Information Summary ANADA 200-346, Trenbolone Acetate and Estradiol, and Tylosin Tartrate Page 4

Under section 512(c)(2)(F)(iii) of the Federal Food, Drug, and Cosmetic Act, this supplemental approval qualifies for THREE years of marketing exclusivity beginning on the date of the approval, the basis for which is Ivy Study #A1076, described in Section 2 above. The three years of marketing exclusivity applies only to the addition of the tylosin tartrate pellet as a local antibacterial for which this supplement was approved.

Under the Center's supplemental approval policy (21 CFR 514.106(b)(2)), this is a Category II change. The approval of this change is not expected to have any adverse effect on the safety or effectiveness of this new animal drug. Accordingly, this approval did not require a reevaluation of the safety and effectiveness data in the parent application.

COMPONENT TE-200 with TYLAN is under the following U.S. patent number:

U.S. Patent Number	Date of Expiration
5,874,098	May 28, 2017

6. ATTACHMENTS:

Facsimile Generic Labeling is attached as indicated below:

COMPONENT TE-200 with TYLAN Box Label

COMPONENT TE-200 with TYLAN 20 Dose Foil Pouch Label (Front)

COMPONENT TE-200 with TYLAN 20 Dose Foil Pouch Label (Back)

COMPONENT TE-200 with TYLAN Package Insert (Front)

COMPONENT TE-200 with TYLAN Package Insert (Back)

RESTRICTED DRUG - USE ONLY AS DIRECTED (CALIFORNIA) - FOR USE IN ANIMALS ONLY NOT FOR HUMAN USE - KEEP OUT OF REACH OF CHILDREN

Storage Conditions: Store in a retrigerator (2°-8°C; 36°-46°F) and protect from sunlight.

Use before the expiration date.

Manufactured by a non-sterilizing process.

PRINT REDUCED

at 87%



trenbolone acetate 200 mg and estradiol USP 20 mg with 29 mg tylosin tartrate as a local antibacterial



Contants

Contan









WARNING: Not to be used in animals intended for subsequent breeding, or in dairy animals. Implant one dose — 11 pellets (entire contents of one cartridge cell) — in the ear subcutaneously. Any other site of implantation is in violation of Federal Law. DO NOT attempt to salvage implantation site for animal feed or human food.

NOTE: Studies have demonstrated that administration of COMPONENT® TE-200 can result in decreased marbling scores when compared to non-implanted steers.

Important: Read the enclosed instruction brochure. Use as illustrated with a CAREFUL CLEAN TECHNIQUE. Never take short cuts at the expense of CLEANLINESS.

COMPONENT TE-200 with Tylan is covered by U.S. Patent No. 5,874,098.


COMPONENT and COMPONENT One Gun are registered trademarks of by Animal Health, Inc.

Tylan is a registered trademark of Eli Lilly and Company.

Manufactured for VetLife by Ivy Laboratories . Overland Park, KS 66214, USA

VetLife and Ivy Laboratories are divisions of Ivy Animal Health, Inc.

01 15 03 00



WARNING: Not to be used in animals intended for subsequent breeding, or in dairy animals. Implant one dose --11 pellets (entire contents of one cartridge cell) — in the ear subcutaneously. Any other site of implantation is in violation of Federal Law. DO NOT attempt to salvage implantation site for animal feed or human food.

RESTRICTED DRUG — USE ONLY AS DIRECTED (CALIFORNIA) — FOR USE IN ANIMALS ONLY NOT FOR HUMAN USE — KEEP OUT OF REACH OF CHILDREN

Note: Studies have demonstrated that administration of COMPONENT® TE-200 can result in decreased marbling scores when compared to non-implanted steers. **PURCHASE SEAL 20 IMPLANTS**

Important: Read the enclosed instruction brochure. Use as illustrated with a CAREFUL CLEAN TECHNIQUE. Never take short cuts at the expense of CLEANLINESS.

Storage Conditions: Store in a refrigerator (2°-8°C; 36°-46°F) and protect from sunlight. Use before the expiration date.

COMPONENT is a registered trademark of by Animal Health, Inc. Tylan is a registered trademark of Eli Lilly and Company. Manufactured for VetLife by Ivy Laboratories • Overland Park, KS 66214, USA VetLife and Ivy Laboratories are divisions of Ivy Animal Health, Inc. 01 15 02 00

LO_T

COMPONENT® («VetLife TE-200 MIII Tylan»

FOR STEERS ted in confinement for slaughte

trenbolone acetate 200 mg and estradiol USP 20 mg with 29 mg tylosin tartrate as a local antibacterial



20 dose CARTRIDGE BELT

For use with the COMPONENT One Gun®**
For Use In Animals Only

Each CARTRIDGE BELT holds 20 doses of COMPONENT® TE-200 with Tylan Implants. Each dose of 11 pellets contains a total of 200 mg of trenbolone acetate and 20 mg estradiol with 29 mg tylosin tartrate as a local antibacterial. COMPONENT® TE-200 Implants are recommended for use in steers fed in confinement for slaughter for INCREASED RATE OF WEIGHT GAIN AND IMPROVED FEED EFFICIENCY.

INDICATIONS FOR USE: This product contains trenbolone acetate and estradiol for increased rate of weight gain and improved feed efficiency in a slowrelease delivery system.

NOTE: Studies have demonstrated that administration of COMPONENT® TE-200 can result in decreased marbling scores when compared to non-implanted steers.

DOSAGE: Administer 1 implant per animal according to the following instructions.

GENERAL INSTRUCTIONS: Study the instructions which should be followed carefully at all times, avoiding short cuts. Skin infection can be avoided by properly preparing implant site and implanter. During fly season use fly repellent on implant site. One designated team member should always do the implanting. Cleanliness of hands and instruments is important at all times.

WARNING


Not to be used in animals intended for subsequent breeding, or in dairy animals. Implant one dose — 11 pellets (entire contents of one cartridge cell) — in the ear subcutaneously. Any other site of implantation is in violation of Federal Law. DO NOT attempt to salvage implantation site for animal feed or human food.


RESTRICTED DRUG — USE ONLY AS DIRECTED (CALIFORNIA) — FOR USE IN ANIMALS ONLY — NOT FOR HUMAN USE — KEEP OUT OF REACH OF CHILDREN

IMPLANTING INSTRUCTIONS:

Loading the Implanter

Load the Implanter following the instructions supplied with each Implanter.





Restrain the Animal

Speed of implantation as well as safety of handlers is best achieved by restraining animal in a squeeze chute using head restraint. When implanting horned cattle, better control is obtained with additional use of nose tongs.


Prepare the Implant Site Scrub the back side of the ear (implant site) with a piece of clean absorbent cotton which has been soaked with topical germicidal solution. Follow manufacturer's directions on germicide for correct strength and preparation of solution. Avoid getting in animal's eyes.

Where to Implant


The full contents of the cartridge should be implanted beneath the skin on the back side of the middle one-third of the ear illustrated in the drawing. The implant must not be closer to the head than the edge of the auricular cartilage ring farthest from the head. The location for insertion of the needle is a point toward the tip of the ear at least a needle length away from the intended deposition site. Avoid injuring the large arteries, veins and cartilage of the ear.

Insert the Needle

With one hand firmly grasp the ear. With the other hand insert needle point through the skin and ease forward on a lateral plane until the entire length of the needle is under the skin.







Implant the Peliets

After inserting the needle fully in the correct implant position, squeeze the trigger fully. As the needle is withdrawn from the ear, the controlled-pressure plunger action properly deposits the implant in the needle track. This procedure should prevent breakage or crushing of pellets if otherwise forced into contact with tough fibrous-tissue underlying the skin. The length and total contact area of a single dose are designed to permit absorption of the hormones after implantation to stimulate good weight gain. Broken or crushed pellets may interfere with rates of gain.

Clean the Needle

Clean the implanter needle with alcohol or a properly diluted germicidal solution prior to implanting the next animal.

Storage Conditions

Store in a refrigerator (2°-8°C; 36°-46°F) and protect from sunlight. Use before the expiration date printed on the foil pouch.

ANADA 200-346, Approved by FDA

Manufactured by a non-sterilizing process.

*U.S. Patent No 4,531,938

**U S. Patent Nos 4,762,515 and 5,522,797 - Ivy Animal Health, Inc. COMPONENT TE-200 with Tylan is covered by U.S. Patent No 5,874,098

COMPONENT and COMPONENT One Gun are registered trademarks of Ivv Animal Health, Inc. Tylan is a registered trademark of Eli Lilly and Company.

Manufactured for VetLife by lvy Laboratories + Overland Park, KS 66214, USA

VetLife and Ivy Laboratories are divisions of lvy Animal Health, Inc.

01 15 01 00